

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5,717,940").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/14 12:45
L2	1	("5,568,552").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/14 13:49
L3	1	("5,717,940").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/14 13:49
L4	0	printer adj identity same order and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/14 14:33
L5	10	printer adj id same order and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/14 14:33
S1	2010	printer with (id or identity or identifier) and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/12 12:27
S2	29	(smart adj card or token or PCMCIA) same printer with (id or identity or identifier) and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/12 14:27
S3	47	printer with decrypt and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 18:19
S4	89	key with establish with identity and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/14 14:32
S5	43	key with establish adj3 (id or identity) and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/12 17:24
S6	25	send adj3 key adj4 (id or identity) and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/12 17:25

EAST Search History

S7	2	print adj server same encrypt and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 10:25
S8	72	print adj server and encrypt and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 10:27
S9	116	print adj server and encrypt\$5 and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 10:27
S10	13	print adj server same encrypt\$5 and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 14:27
S11	117	network same printer same encrypt\$5 and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 11:44
S12	47	network with printer same encrypt\$5 and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 14:02
S13	0	("8979505").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/13 14:02
S14	53	printer with server same encrypt\$5 and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 15:23
S15	455	printer same document adj stor\$4 and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 15:24
S16	3	encrypt\$5 same printer same document adj stor\$4 and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 15:36
S17	1	encrypt\$5 same printer same document adj repository and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 15:37
S18	6	printer same document adj repository and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 15:38

EAST Search History

S19	1	("5717940").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/13 17:50
S20	1	("5,552,897").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/13 17:50
S21	220	smart adj card with printer and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 18:20
S22	13	smart adj card with printer with key and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 18:25
S23	2	pcmcia with printer with key and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 18:30
S24	47	printer with (public or private or symmetric or assymetric) adj2 key and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 18:31
S25	66	(printer or facsimile) with (public or private or symmetric or assymetric) adj2 key and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 18:32
S26	41	card and (printer or facsimile) with (public or private or symmetric or assymetric) adj2 key and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/13 18:32
S27	13	card same (printer or facsimile) with (public or private or symmetric or assymetric) adj2 key and @ad<"20000113"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/14 11:05